


**Amendments to the Claims:**

*This listing of claims will replace all prior versions, and listings, of claims in the application:*


1. (Original) A compound having the general formula (I):




wherein:

R<sup>1</sup> is selected from the group consisting of:

-H and C<sub>1</sub>-C<sub>6</sub>-alkyl, aryl, or



wherein R<sup>18</sup> is selected from the group consisting of



wherein R<sup>19</sup> is independently selected from the group consisting of


-H, -F, -Cl, -Br, -I, -NO<sub>2</sub> or -CF<sub>3</sub>,

$R^2$  is selected from the group consisting of:

-H and  $C_1-C_6$ -alkyl,

$R^3$ ,  $R^4$ ,  $R^5$  and  $R^6$  are independently selected from the group consisting of:

-H,  $C_1-C_6$ -alkyl,  $C_1-C_6$ -alkoxy, phenoxy, -F, -Cl, -Br, -I, -OH, -CN, -NR<sup>12</sup>R<sup>12'</sup>, -N=N-R<sup>13</sup>, -NH-C(O)-R<sup>14</sup>, -NO<sub>2</sub>, -C≡C-R<sup>15</sup>, -C(R<sup>20</sup>)<sub>3</sub>, or -CH(R<sup>20</sup>)<sub>2</sub> or



wherein o is selected to an integer from 0 to 6;

and wherein

$R^{12}$  and  $R^{12'}$  are independently selected from the group consisting of:

-H and  $C_1-C_6$ -alkyl,


$R^{13}$  and  $R^{14}$  are independently selected from the group consisting of

-H,  $C_1-C_6$ -alkyl,

-(CH<sub>2</sub>)<sub>n</sub>-R<sup>16</sup>, wherein n is selected to be an integer from 1 to 6 and R<sup>16</sup> is selected from the group consisting of:

-OH, -NH<sub>2</sub>, or -CN,

-(CH<sub>2</sub>)<sub>m</sub>-CH=CH<sub>2</sub>, wherein m is selected to be an integer from 0 to 6,



wherein  $R^{17}$  is selected from the group consisting of  
 -H,  $C_1$ - $C_6$ -alkyl,

$C_3$ - $C_6$ -cycloalkyl,

phenyl substituted cyclopropyl, wherein the phenyl group is optionally substituted by one or two substituents  $R^{18}$ , and


$R^{18}$  is independently selected from the group consisting of:

-F, -Cl, -Br, -I, -CN, -OH, -NH<sub>2</sub>,

$R^{15}$  is selected from the group consisting of:

-H and  $C_1$ - $C_6$ -alkyl,

or wherein  $R^4$  and  $R^5$  together form one of the ring systems represented by the formulas





and


$R^{20}$  is independently selected from -F, -Cl, and -Br,

$R^7$ ,  $R^8$ ,  $R^9$ ,  $R^{10}$ , and  $R^{11}$  are independently selected from the group consisting of:


H,  $C_1$ - $C_6$ -alkyl,  $C_1$ - $C_6$ -alkoxy, -F, -Cl, -Br, -I, -OH, -CN, -NR<sup>12</sup>R<sup>12'</sup>, -N=N-R<sup>13</sup>,  
 -NH-C(O)-R<sup>14</sup>, -NO<sub>2</sub>, -C≡C-R<sup>15</sup>, -C(R<sup>20</sup>)<sub>3</sub>, or -CH(R<sup>20</sup>)<sub>2</sub> or



,



, or




;

wherein  $o$  is selected to an integer from 0 to 6, and


wherein  $\text{R}^{12}$ ,  $\text{R}^{12'}$ ,  $\text{R}^{13}$ ,  $\text{R}^{14}$ ,  $\text{R}^{15}$ , and  $\text{R}^{20}$  represent groups as defined for  $\text{R}^3$  to  $\text{R}^6$ , and

or wherein

$\text{R}^8$  and  $\text{R}^9$  together form a together form a ring system represented by the formulas



;




,

and/or pharmaceutically acceptable salts thereof.

2. (Original) Compound according to claim 1, wherein  $\text{R}^1$  is selected from the group consisting of -H or  $\text{C}_1\text{-C}_4\text{-alkyl}$ , and preferably is -H or methyl.
3. (Currently Amended) Compound according to claim 1 ~~or 2~~, wherein  $\text{R}^2$  is selected from the gorup consisting of -H or  $\text{C}_1\text{-C}_4\text{-alkyl}$ , and preferably is -H.
4. (Currently Amended) Compound according to ~~any one of claims 1 to 3~~ claim 1, wherein

$R^3$ ,  $R^4$ ,  $R^5$  and  $R^6$  are independently selected from the group consisting of:

-H,  $C_1$ - $C_6$ -alkyl,  $C_1$ - $C_6$ -alkoxy, phenoxy, -F, -Cl, -Br, -I, -OH, -CN, - $NR^{12}R^{12'}$ , -NH-C(O)- $R^{14}$ , -NO<sub>2</sub>, -CF<sub>3</sub>, or



wherein o is selected to an integer from 0 to 4, preferably from 2 to 4, most preferably is 3,


and wherein

$R^{12}$  and  $R^{12'}$  are independently selected from the group consisting of -H or methyl,

$R^{14}$  is selected from the group consisting of  $C_1$ - $C_6$ -alkyl,

-(CH<sub>2</sub>)<sub>m</sub>-CH=CH<sub>2</sub>, wherein m is selected to be an integer from 0 to 2 and preferably is 0, cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl, and phenyl substituted cyclopropyl,


or wherein  $R^4$  and  $R^5$  together form a ring system represented by the formula



5. (Currently Amended) Compound according to ~~any one of claims 1 to 4~~ claim 1, wherein

$R^7$ ,  $R^8$ ,  $R^9$ ,  $R^{10}$ , and  $R^{11}$  are independently selected from the group consisting of:

-H,  $C_1$ - $C_6$ -alkyl,  $C_1$ - $C_6$ -alkoxy, -F, -Cl, -Br, -I, -OH, -N=N- $R^{13}$ , -NH-C(O)- $R^{14}$ , -NO<sub>2</sub>, -C≡C-H,



wherein


$R^{13}$  and  $R^{14}$  are independently selected from the group consisting of

$C_1$ - $C_6$ -alkyl, and preferably are methyl or ethyl,

$-(CH_2)_n-R^{16}$ , wherein  $n$  is selected to be an integer from 1 to 6 and  $R^{16}$  is selected from the group consisting of:

$-NH_2$  and  $-CN$ ,

$-CH=CH_2$ ,




wherein  $R^{17}$  is selected from the group consisting of

$-H$  and methyl,

cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl,

phenyl substituted cyclopropyl,

or wherein  $R^8$  and  $R^9$  together form one of the ring systems represented by the formulas



6. (Currently Amended) Compound according to ~~any one of claims 1 to 5~~  
claim 1, wherein

$R^3$  and  $R^6$  represent -H and

$R^4$  and  $R^5$  are independently selected from the group consisting of:

-H,  $C_1$ - $C_4$ -alkyl, and preferably are -H or methyl.

7. (Currently Amended) Compound according to ~~any one of claims 1 to 6~~  
claim 1, wherein

$R^7$ ,  $R^8$ ,  $R^9$ ,  $R^{10}$ , and  $R^{11}$  are independently selected from the group consisting of:

-H,  $C_1$ - $C_6$ -alkyl,  $C_1$ - $C_6$ -alkoxy, -F, -Cl, -Br, -I, -OH, -CN, and  
- $NR^{12}R^{12'}$ ,

wherein  $R^{12}$  and  $R^{12'}$  are independently selected from -H or methyl and preferably are both -H.

8. (Currently Amended) Compound according to ~~any one of claims 1 to 7~~  
claim 1, wherein

$R^7$ ,  $R^8$ ,  $R^9$ ,  $R^{10}$ , and  $R^{11}$  are independently selected from the group consisting of:

-H, -F, -Cl, -Br, and -I.

9. (Currently Amended) Compound according to ~~any one of claims 1 to 8~~  
claim 1, wherein

at least two of the groups  $R^7$ ,  $R^8$ ,  $R^9$ ,  $R^{10}$ , and  $R^{11}$  are -H, preferably three or two of the groups  $R^7$ ,  $R^8$ ,  $R^9$ ,  $R^{10}$ , and  $R^{11}$  are -H.

10. (Currently Amended) Compound according to ~~any one of claims 1 to 9~~  
claim 1, wherein four of the groups  $R^7$ ,  $R^8$ ,  $R^9$ ,  $R^{10}$ , and  $R^{11}$  are -H.

11. (Currently Amended) Compound according to ~~any one of claims 1 to 10~~  
claim 1, wherein  $R^7$ ,  $R^9$ ,  $R^{10}$ , and  $R^{11}$  are -H, or wherein  $R^7$ ,  $R^{10}$  and  $R^{11}$  are -H, or wherein  $R^8$  and  $R^{10}$  are -H.

12. (Currently Amended) Compound according to ~~any one of claims 1 to 11~~ claim 1, wherein those groups out of the group R<sup>7</sup>, R<sup>8</sup>, R<sup>9</sup>, R<sup>10</sup>, and R<sup>11</sup> which are not -H are selected from the group consisting of -F, -Cl, -Br and -I.

13. (Currently Amended) Compound according to ~~any one of the preceding claims~~ claim 1, wherein the compound is selected from the group consisting of:

- (Compound 1:) (3-Nitro-phenyl)-quinazolin-4-yl-amine,
- (Compound 2:) (3-Bromo-phenyl)-quinazolin-4-yl-amine,
- (Compound 3:) (6,7-Dimethoxy-quinazolin-4-yl)-[(3-(3,5-dimethyl-isoxazol-4-ylazo)-phenyl]-amine,
- (Compound 4:) Furan-2-carboxylic acid [4-(6,7-dimethoxy-quinazolin-4-yl-amino)-phenyl]-amide,
- (Compound 5:) Furan-2-carboxylic acid [3-(6,7-dimethoxy-quinazolin-4-yl-amino)-phenyl]-amide,
- (Compound 6:) 2-Cyano-*N*-[4-(6,7-dimethoxy-quinazolin-4-yl-amino)-phenyl]acetamide,
- (Compound 7:) 2-Cyano-*N*-[3-(6,7-dimethoxy-quinazolin-4-yl-amino)-phenyl]acetamide,
- (Compound 8:) (3-Bromo-phenyl)-(6-methoxy-quinazolin-4-yl)-amine,
- (Compound 9:) (3-Bromo-phenyl)-(6-methyl-quinazolin-4-yl)-amine,
- (Compound 10:) 6-Amino-hexanoic acid [4-(6,7-dimethoxy-quinazolin-4-yl)-phenyl]-amide,
- (Compound 11:) 6-Amino-hexanoic acid [3-(6,7-dimethoxy-quinazolin-4-yl)-phenyl]-amide,
- (Compound 12:) (3-Bromo-phenyl)-(6,7-dimethoxy-quinazolin-4-yl)-amine,
- (Compound 13:) (6,7-Dimethoxy-2-methyl-quinazolin-4-yl)-(3-nitro-phenyl)-amine,
- (Compound 14:) (6,7-Dimethoxy-2-methyl-quinazolin-4-yl)-(4-nitro-phenyl)-amine,
- (Compound 15:) *N*-[4-(3-Bromo-phenylamino)-quinazolin-6-yl]-propionamide,
- (Compound 16:) (3-Bromo-phenyl)-(6,7-diethoxy-quinazolin-4-yl)-amine,
- (Compound 17:) (6,7-diethoxy-quinazolin-4-yl)-(3-hydroxy-phenyl)-amine,
- (Compound 18:) *N*-[4-(3-Bromo-phenylamino)-quinazolin-6-yl]-propargylamide,
- (Compound 19:) (3-Chloro-phenyl)-(6,7-dimethoxy-quinazolin-4-yl)-amine,



- (Compound 20:) N<sup>4</sup>-(3-Bromo-phenyl)-N<sup>6</sup>-methyl-quinazoline-4,6,7-triamine,  
(Compound 21:) (3-Bromo-4-methoxy-phenyl)-(6,7-dimethoxy-quinazolin-4-yl)-amine,  
(Compound 22:) N<sup>4</sup>-(3-Bromo-phenyl)-quinazoline-4,6,7-triamine,  
(Compound 23:) (3,5-Bis-trifluormethyl-phenyl-quinazolin-4-yl)-amine,  
(Compound 24:) (4-Fluoro-phenyl)-(6-methyl-quinazolin-4-yl)-amine,  
(Compound 25:) (3-Chloro-phenyl)-(6-methyl-quinazolin-4-yl)-amine,  
(Compound 26:) (6-Methyl-quinazolin-4-yl)-phenyl-amine,  
(Compound 27:) (3,4-Dimethyl-phenyl)-(6-methyl-quinazolin-4-yl)-amine,  
(Compound 28:) (2-Hydroxy-4-methyl-phenyl)-(6-methyl-quinazolin-4-yl)-amine,  
(Compound 29:) (6,7-Dimethoxy-quinazolin-4-yl)- (4-fluoro-phenyl)-amine,  
(Compound 30:) (3,4-Dimethyl-phenyl)-(6,7-dimethoxy-quinazolin-4-yl)-amine,  
(Compound 31:) (4-Bromo-phenyl)-(6,7-dimethoxy-quinazolin-4-yl)-amine,  
(Compound 32:) Benzo[1,3]-dioxol-5-yl-(6,7-dimethoxy-quinazolin-4-yl)-amine,  
(Compound 33:) (3-Bromo-phenyl)-(6,7-dimethoxy-2-methyl-quinazolin-4-yl)-amine,  
(Compound 34:) (3-Chloro-5-hydroxy-phenyl)-(6-methyl-quinazolin-4-yl)-amine,  
(Compound 35:) N-[4-(Quinazolin-4-yl-amino)-phenyl]-acetamide,  
(Compound 36:) Phenyl-[4-(quinazolin-4-yl-amino)-phenyl]-methanone,  
(Compound 37:) (3,4-Dichloro-phenyl)-quinazolin-4-yl-amine,  
(Compound 38:) (4-Chloro-2-hydroxy-phenyl)-quinazolin-4-yl-amine,  
(Compound 39:) (2-Hydroxy-4-methyl-phenyl)-quinazolin-4-yl-amine,  
(Compound 40:) (3,4-Dimethyl-phenyl)-quinazolin-4-yl-amine,  
(Compound 41:) Benzo[1,3]-dioxol-5-yl-(6-methyl-quinazolin-4-yl)-amine,  
(Compound 42:) (3-Chloro-4-methyl-phenyl)-(6-methyl-quinazolin-4-yl)-amine,  
(Compound 43:) (4-Bromo-phenyl)-(6-methyl-quinazolin-4-yl)-amine,  
(Compound 44:) N-[4-(6-Methyl-quinazolin-4-yl-amino)-phenyl]-acetamide,  
(Compound 45:) (4-Iodo-phenyl)-(6-methyl-quinazolin-4-yl)-amine,  
(Compound 46:) Phenyl-[4-(6-methyl-quinazolin-4-yl-amino)-phenyl]-methanone,  
(Compound 47:) (4-Phenoxy-phenyl)-quinazolin-4-yl-amine,  
(Compound 48:) (3-Hydroxy-phenyl)-(6-methyl-quinazolin-4-yl)-amine,  
(Compound 49:) (3,4-Dichloro-phenyl)-(6-methyl-quinazolin-4-yl)-amine,

(Compound 50:)	<i>N</i> -[4-(8-Methyl-quinazolin-4-yl-amino)-phenyl]-acetamide,
(Compound 51:)	(4-Iodo-phenyl)-(8-methyl-quinazolin-4-yl)-amine,
(Compound 52:)	(4-Phenoxy-phenyl)-(8-methyl-quinazolin-4-yl)-amine,
(Compound 53:)	(3,4-Dichloro-phenyl)-(8-methyl-quinazolin-4-yl)-amine,
(Compound 54:)	Benzo[1,3]-dioxol-5-yl-(8-methyl-quinazolin-4-yl)-amine,
(Compound 55:)	(3-Chloro-4-methyl-phenyl)-(8-methyl-quinazolin-4-yl)-amine,
(Compound 56:)	(4-Bromo-phenyl)-(8-methyl-quinazolin-4-yl)-amine,
(Compound 57:)	(3,4-Dimethoxy-phenyl)-(8-methyl-quinazolin-4-yl)-amine,
(Compound 58:)	(3-Chloro-6-hydroxy-phenyl)-(8-methyl-quinazolin-4-yl)-amine,
(Compound 59:)	(2-Methoxy-4-methyl-phenyl)-(8-methyl-quinazolin-4-yl)-amine,
(Compound 60:)	(4-Chloro-phenyl)-(8-methyl-quinazolin-4-yl)-amine,
(Compound 61:)	(8-Methyl-quinazolin-4-yl)-phenyl-amine
(Compound 62:)	(3-Chloro-phenyl)-(8-methyl-quinazolin-4-yl)-amine,
(Compound 63:)	(4-Fluoro-phenyl)-(8-methyl-quinazolin-4-yl)-amine,
(Compound 64:)	(3,5-Bis-fluoromethyl-phenyl)-(8-methyl-quinazolin-4-yl)-amine,
(Compound 65:)	(3-Bromo-phenyl)-(8-methyl-quinazolin-4-yl)-amine,
(Compound 66:)	(3,5-Bis-fluoromethyl-phenyl)-(6-methyl-quinazolin-4-yl)-amine,
(Compound 67:)	(4-Chloro-phenyl)-(6-methyl-quinazolin-4-yl)-amine,
(Compound 68:)	Phenyl-[4-(8-methyl-quinazolin-4-yl-amino)-phenyl]-methanone,
(Compound 69:)	(3-Bromo-phenyl)-(7-fluoro-quinazolin-4-yl)-amine,
(Compound 70:)	(3-Chloro-phenyl)-(7-fluoro-quinazolin-4-yl)-amine,
(Compound 71:)	(3-Ethyl-phenyl)-quinazolin-4-yl-amine,
(Compound 72:)	(4-Iodo-phenyl)-quinazolin-4-yl-amine,
(Compound 73:)	(4-Phenoxy-phenyl)-quinazolin-4-yl-amine,
(Compound 74:)	(4-Fluoro-phenyl)-(7-fluoro-quinazolin-4-yl)-amine,
(Compound 75:)	(3-Fluoro-phenyl)-quinazolin-4-yl-amine,
(Compound 76:)	(2,4-Dichloro-phenyl)-quinazolin-4-yl-amine,
(Compound 77:)	(3-Hydroxy-phenyl)-quinazolin-4-yl-amine,
(Compound 78:)	(3-Fluoro-4-methyl-phenyl)-(6-methyl-quinazolin-4-yl)-amine,
(Compound 79:)	(3-Fluoro-phenyl)-(6-methyl-quinazolin-4-yl)-amine,
(Compound 80:)	(3-Chloro-6-methyl-phenyl)-(7-fluoro-quinazolin-4-yl)-amine,
(Compound 81:)	Biphenyl-4-yl-quinazolin-4-yl-amine,

(Compound 82:)	(3,4-Dimethoxy-phenyl)-quinazolin-4-yl-amine,
(Compound 83:)	(6-Fluoro-quinazolin-4-yl)-(2-methyl-phenyl)-amine,
(Compound 84:)	Phenyl-quinazolin-4-yl-amine,
(Compound 85:)	(3-Chloro-6-methyl-phenyl)-quinazolin-4-yl-amine,
(Compound 86:)	(4-Ethyl-phenyl)-quinazolin-4-yl)-amine,
(Compound 87:)	(3-Chloro-phenyl)-quinazolin-4-yl-amine,
(Compound 88:)	(4-Fluoro-phenyl)-quinazolin-4-yl-amine,
(Compound 89:)	(3-Ethyl-phenyl)-(6-methyl-quinazolin-4-yl)-amine,
(Compound 90:)	(7-Fluoro-quinazolin-4-yl)-phenyl-amine,
(Compound 91:)	(3-Chloro-2-methyl-phenyl)-(6-methyl-quinazolin-4-yl)-amine,
(Compound 92:)	(4-Butyl-phenyl)-(6-methyl-quinazolin-4-yl)-amine,
(Compound 93:)	(4-Hydroxy-6-methyl-phenyl)-quinazolin-4-yl-amine,
(Compound 94:)	(3-Nitro-6-methyl-phenyl)-quinazolin-4-yl-amine,
(Compound 95:)	(3-Chloro-2-methyl-phenyl)-quinazolin-4-yl-amine,
(Compound 96:)	(4-Ethyl-phenyl)-(6-methyl-quinazolin-4-yl)-amine,
(Compound 97:)	(4-Chloro-6-methyl-phenyl)-quinazolin-4-yl-amine,
(Compound 98:)	(4-Bromo-phenyl)-quinazolin-4-yl-amine,
(Compound 99:)	(3-Chloro-6-methyl-phenyl)-(8-methyl-quinazolin-4-yl)-amine,
(Compound 100:)	(3-Chloro-6-methyl-phenyl)-(6-methyl-quinazolin-4-yl)-amine,
(Compound 101:)	(3,4-Dimethoxy-phenyl)-(6-methyl-quinazolin-4-yl)-amine,
(Compound 102:)	(3,4-Dimethoxy-phenyl)-(6,7-dimethoxy-quinazolin-4-yl)-amine,
(Compound 103:)	(6-Methyl-quinazolin-4-yl)-(4-trifluoromethyl-phenyl)-amine,
(Compound 104:)	(2-Fluoro-phenyl)-(7-fluoro-quinazolin-4-yl)-amine,
(Compound 105:)	(3-Chloro-phenyl)-(6,7-dimethoxy-2-methyl-quinazolin-4-yl)- amine,
(Compound 106:)	(6,7-Dimethoxy-quinazolin-4-yl)-(3-trifluoromethyl-phenyl)- amine,
(Compound 107:)	(3-Bromo-phenyl)-(6-nitro-quinazolin-4-yl)-amine,
(Compound 108:)	Biphenyl-4-yl-(8-methyl-quinazolin-4-yl)-amine,
(Compound 109:)	(8-Methyl-quinazolin-4-yl)-(4-trifluoromethyl-phenyl)-amine,
(Compound 110:)	(2,4-Dichloro-phenyl)-(6-methyl-quinazolin-4-yl)-amine,
(Compound 111:)	(4-Trifluoromethyl-phenyl)-quinazolin-4-yl-amine,

- (Compound 112:) (2,3-Dimethyl-phenyl)-(6-methyl-quinazolin-4-yl)-amine,  
(Compound 113:) (3,5-Bistrifluoromethyl-phenyl)-(7-fluoro-quinazolin-4-yl)-amine,) (Compound 114:) (2,4-Dimethyl-phenyl)-(6-methyl-quinazolin-4-yl)-amine,  
(Compound 115:) Benzo[1,3]-dioxol-5-yl-quinazolin-4-yl-amine,  
(Compound 116:) (6,7-Dimethoxy-quinazolin-4-yl)-(4-nitro-phenyl)-amine,  
(Compound 117:) (6-Methyl-quinazolin-4-yl)-(2,4,5-Trichloro-phenyl)-amine,  
(Compound 118:) (3-Chloro-5-fluoro-phenyl)-(6,7-dimethoxy-quinazolin-4-yl)-amine,  
(Compound 119:) (3-Bromo-phenyl)-(6-nitro-7-fluoro-quinazolin-4-yl)-amine,  
(Compound 120:)  $N^4$ -(3-Bromo-phenyl)-6-nitro-quinazoline-4,7-diamine,  
(Compound 121:) *N*-[4-(3-Bromo-phenylamino)-7-cyclobutane-carbonylamino-quinazolin-6-yl]-cyclobutanecarboxylic acid amide,  
(Compound 122:) *N*-[4-(3-Bromo-phenylamino)-7-cyclopentane-carbonylamino-quinazolin-6-yl]-cyclopentanecarboxylic acid amide,  
(Compound 123:) *N*-[7-Acetylamino-5-(3-bromo-phenylamino)quinazolin-6-yl]-acetamide,  
(Compound 124:) 3-(6,7-dimethoxy-quinazolin-4-yl-amino-benzonitrile,  
(Compound 125:) (3-Chloro-4-fluoro-phenyl)-[7-methoxy-6-(3-morpholin-4-yl-propoxy)-quinazolin-4-yl]-amine.

and/ or pharmaceutically acceptable salts thereof.

14. (Currently Amended) Compound according to ~~any one of claims 1 to 13~~ claim 1, for use as a pharmaceutically active agent.

15. (Currently Amended) Use of at least one compound according to claim ~~1 or 13~~ as a pharmaceutically active agent.

16. (Original) Use according to claim 15 for the prophylaxis and/ or treatment of infectious diseases, including opportunistic diseases.

17. (Original) Use according to claim 16, wherein the infectious disease is caused by herpes viruses.

18. (Original) Use according to claim 17, wherein the herpes virus is selected from the group comprising: herpes simplex viruses, varicello viruses, cytomegalo viruses, muromegalo viruses, roseolo viruses, lymphocrypto viruses and rhadino viruses.

19. (Original) Use according to claim 18, wherein the herpes virus is a cytomegalo virus.

20. (Original) Use according to claim 19, wherein the herpes virus is human cytomegalo virus (HCMV) ~~(Gibt es nur den einen oder mehrere ? Wegen Singular/Plural).~~

21. (Currently Amended) Use of at least compound according to ~~claims 1 to 13~~ claim 1, for the preparation of a pharmaceutical composition for the prophylaxis and/or treatment of infectious diseases, including opportunistic diseases.

22. (Original) Use according to claim 21, wherein said infectious disease is caused by herpes viruses.

23. (Original) Use according to claim 22, wherein the herpes virus is selected from the group comprising: herpes simplex viruses, varicello viruses, cytomegalo viruses, muromegalo viruses, roseolo viruses, lymphocrypto viruses and rhadino viruses.

24. (Original) Use according to claim 23, wherein the herpes virus is a cytomegalo virus.

25. (Original) Use according to claim 24, wherein the herpes virus is human cytomegalo virus (HCMV).

26. (Currently Amended) Use according to ~~any one of claims 15 to 25~~ claim 15, wherein said infectious disease is herpes.

27. (Currently Amended) Use according to ~~any one of claims 15 to 26~~ claim 15, wherein the herpes virus is a drug resistant virus strain.

28. (Currently Amended) Use of at least one compound according to ~~claim 1 to 13~~ claim 1, as an inhibitor for a protein kinase.

29. (Original) Use according to claim 28, wherein the protein kinase is a herpesviral kinase.

30. (Original) Use according to claim 29, wherein the herpesviral kinase is UL 97.

31. (Currently Amended) Use ~~according to any one of claims 15 to 24, wherein the~~ of at least one compound according to claim 1, ~~any one of claims 1 to 13~~ is administered in a dosage corresponding to an effective concentration in the range of 0.01 - 50 mm.

32. (Currently Amended) Use ~~according to any one of claims 15-31, wherein~~ of at least one compound according to ~~any one of claims 1 to 13~~ claim 1, is administered in combination with further therapeutic compounds.

33. (Original) Use according to claim 32, wherein the further therapeutic compounds are selected from the group consisting of:

Ganciclovir, foscarnet, cidofovir, valganciclovir, ganciclovir implants, fomivirsen, penciclovir and valaciclovir.

34. (Currently Amended) Pharmaceutical composition comprising at least one compound according to ~~claim 1 to 13~~ claim 1, as an active ingredient, together with at least one pharmaceutically acceptable carrier, excipient and/or diluent.

35. (Original) Pharmaceutical composition according to claim 34 further comprising an additional therapeutic agent selected from the group consisting of:

Ganciclovir, foscarnet, cidofovir, valganciclovir, ganciclovir implants, fomivirsen, penciclovir and valaciclovir.

36. (Currently Amended) Method for preventing and/or treating infectious diseases, including opportunistic diseases in a mammal, especially in a human, which method comprises administering to the mammal an amount of at least one compound as defined in ~~any one of claims 1 to 13~~ claim 1, effective to prevent and/or treat said infectious disease and/or opportunistic infection.

37. (Original) Method according to claim 36, wherein said infectious disease is caused by a herpes virus.

38. (Currently Amended) Method for preventing and/or treating herpesviral infections and/or associated diseases in a mammal, including a human, by administering a pharmaceutically effective amount of at least one compound as defined in ~~any one of claims 1 to 13~~ claim 1, to said mammal, wherein said compound inhibits at least partially the activity of a herpesviral kinase, preferably of UL 97.

39. (Currently Amended) Method according to ~~any one of claims 36 to 38~~ claim 36, wherein the herpes virus is selected from the group comprising herpes simplex viruses, varicello viruses, cytomegalo viruses, muromegalo viruses, roseolo viruses, lymphocrypto viruses and rhadino viruses.

40. (Currently Amended) Method according to ~~any one of claims 36 to 39~~ claim 36, wherein the herpes virus is a cytomegalo virus.

41. (Original) Method according to claim 40, wherein the herpes virus is human cytomegalo virus.

42. (Currently Amended) Method according to ~~any one of claims 39 to 41~~ claim 39, wherein the herpes virus is a drug resistant virus strain.

43. (Currently Amended) Method according to ~~any one claims 36 to 42~~ claim 36, wherein said infectious disease or herpesviral infection is herpes.

44. (Currently Amended) ~~Method according to any one of claims 36 to 43;~~ wherein the compound according to claims 1 to 13 Method for preventing and/or treating infectious diseases, including opportunistic diseases in a mammal, especially in a human, which method comprises administering to the mammal an amount of at least one compound as defined in claim 1 is administered in a dosage corresponding to an effective concentration in the range of 0.01 - 50 mm to prevent and/or treat said infectious disease and/or opportunistic infection.

45. (Currently Amended) ~~Method according to claims 36 to 44, wherein at least one compound according to claims 1 to 13~~ Method for preventing and/or treating infectious diseases, including opportunistic diseases in a mammal, especially in a human, which method comprises administering to the mammal an amount of at least one compound as defined in claim 1 is administered in combination with at least one further therapeutic compound, selected from the group consisting of Ganciclovir, foscarnet, cidofovir, valganciclovir, ganciclovir implants, fomivirsen, penciclovir and valaciclovir to prevent and/or treat said infectious disease and/or opportunistic infection.